THE FARMER'S LIBRARY

SAMPLE PREVIEW

GOAT FARMING 101: COMPLETE BEGINNER'S GUIDE

A protected look inside the complete digital edition

This preview contains selected pages from the complete 179-page eBook:

- The original cover and opening information
- Contents and introductory pages where available
- A practical sample from the opening chapter
- Representative records, checklists or appendices where available

PREVIEW COPY - SELECTED PAGES ONLY

The full paid edition is delivered as a digital PDF after purchase.

This sample may not be resold or redistributed.

COPYRIGHT

Goat Farming 101: Beginner's Guide to Meat, Milk & Small-Scale Profit

Copyright © 2026 by The Farmer's Library

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other noncommercial uses permitted by copyright law.

This book is intended for educational and informational purposes only. Agricultural practices, regulations, and market conditions vary widely by country, state, province, and municipality, and change over time. Nothing in this book constitutes veterinary, legal, financial, or professional advice. Always confirm current regulations in your area, consult a licensed veterinarian for animal health decisions, and verify product labels before using any medication, chemical, or feed additive. The author and publisher disclaim any liability for losses or damages arising from the use of information contained in this book.

First published: 12 March 2025

Downloadable ebook edition updated and expanded: July 2026

Published by The Farmer's Library

SAMPLE PREVIEW

FROM THE PUBLISHER

The Farmer's Library was built on a simple idea: farming books should earn their keep on a shelf, not just look good on it. When we put together the first edition of this book, we set out to cover meat and milk goats for the beginner who has never owned livestock before. Readers told us what worked and, just as usefully, what didn't. This edition is a full rewrite in response to that feedback, not a light polish.

We went back through every chapter and asked a harder question of each one: does this tell a first-time goat keeper something they can actually use next week? Where the answer was no, we cut it. Where a chapter needed real numbers — feed amounts, housing dimensions, gestation windows, cost ranges — we added them, sourced from university extension programs, veterinary references, and working goat producers, not from guesswork.

You will still find the same eighteen chapters, in the same order, because that structure worked. What has changed is the depth under each one. Expect clear breed comparisons rather than vague encouragement, decision rules rather than platitudes, and troubleshooting sections that assume something will eventually go wrong — because on a real farm, something always does.

Goats are forgiving animals to learn on. They are not, however, foolproof, and this book does not pretend otherwise. Where a topic touches veterinary medicine, chemical use, food safety, or local law, we say plainly that rules differ by location and that you need to check with a vet, an extension agent, or your local authority before acting. That caution is not filler — it is the difference between a book that sounds helpful and one that actually is.

Thank you for trusting The Farmer's Library with your first (or next) goat venture. We hope this edition gives you fewer surprises and more confidence than the last one did.

— The Farmer's Library Editorial Team

SAMPLE PREVIEW

WHO THIS BOOK IS FOR

This book is written for people who do not yet own goats but are seriously considering it — and for the small number of very new owners who bought goats first and are now trying to catch up on the knowledge they skipped.

You might be a homesteader with two acres and a fence line already half-built, wondering whether goats or sheep make more sense for your land. You might be a suburban family exploring backyard dairy goats where local rules allow it. You might be weighing a small commercial meat-goat enterprise as a side income alongside a full-time job, or looking at browse-clearing goats as a land management tool before anything else. All four of these readers are covered here, because the fundamentals — nutrition, housing, breeding, parasite control, and basic business sense — are the same regardless of your end goal. The details of scale and purpose are addressed chapter by chapter.

This is not a book for people already running fifty or more breeding does who need advanced reproduction technology, embryo transfer protocols, or commercial abattoir logistics. If that describes you, you likely need a more specialized text or a conversation with your veterinarian and a livestock nutritionist. This book is the solid, detailed foundation that comes before that level of specialization — the book that gets you from zero goats to a competent, confident small herd of anywhere from two to twenty animals.

You do not need any prior livestock experience to use this book. You do need patience, a willingness to observe your animals closely, and access to a livestock veterinarian or extension office for the things that require local expertise — because no book, including this one, can tell you what is legal in your municipality or what dose of medication is appropriate for your individual goat.

SAMPLE PREVIEW

HOW TO USE THIS BOOK

Read Chapters 1 and 2 in full before you buy a single goat. They cover the decisions that are expensive to reverse: whether goats are the right animal for your land and goals, and what infrastructure needs to exist before the first goat arrives. Every other chapter can be read in the order that matches your situation.

If you already know you want meat goats, read Chapter 5 (breeds) and Chapter 13 (finishing and butcher readiness) together, then loop back to Chapters 8 through 11 for nutrition, health, parasites, and housing — those four chapters apply regardless of your production goal and are written to be referenced independently, not just read once in sequence.

If dairy is your goal, pair Chapter 6 (dairy basics) with Chapter 14 (micro-dairy pathways), then use Chapters 8 through 12 the same way.

Chapters 9, 10, and 18 are built to be reference chapters you return to during the year, not just read once. Chapter 18 in particular includes a seasonal calendar and troubleshooting tables meant to sit open next to you during kidding season or a parasite scare.

Every chapter includes useful numbers — weights, dimensions, timeframes, and cost ranges. These are presented as working ranges, not fixed rules, because your climate, breed choice, and local costs will shift the exact figures. Where a topic touches medication, chemical use, or legal requirements, the text tells you plainly to verify current rules with a veterinarian, extension office, or relevant authority — this is a practical instruction, not a boilerplate disclaimer to skip past.

The appendices at the back are designed to be printed, copied, or used as digital worksheets: feeding and health logs, breeding and kidding records, purchase questions, first-year planning sheets, a farm contact sheet, and a simple budget worksheet. Use them from day one rather than waiting until record-keeping feels urgent. Good records are much easier to start early than to rebuild later.

SAMPLE PREVIEW

TABLE OF CONTENTS

From the Publisher....2
Who This Book Is For....3
How to Use This Book....4
Important Note....5
CHAPTER 1: Introduction to Goat Farming....8
CHAPTER 2: Goat Farming 101 - Set-Up & First Steps....17
CHAPTER 3: Organic & Low-Input Techniques....25
CHAPTER 4: Sustainable Systems & Water....32
CHAPTER 5: Meat Goats - Breeds & Breeding....39
CHAPTER 6: Dairy Basics - From Milking to Products....46
CHAPTER 7: Urban & Peri-Urban Micro-Goats....53
CHAPTER 8: Nutrition & Minerals....60
CHAPTER 9: Health Plans & Disease Prevention....66
CHAPTER 10: Parasites - Integrated Control....73
CHAPTER 11: Housing, Fencing & Essential Equipment....80
CHAPTER 12: Breeding, Kidding & Neonatal Care....87
CHAPTER 13: Meat Enterprise - Finishing & Butcher Readiness....94
CHAPTER 14: Milk Enterprise - Micro-Dairy Pathways....101
CHAPTER 15: Marketing & Small-Scale Profit....107
CHAPTER 16: Agroforestry & Integrated Farms....114
CHAPTER 17: Money, KPIs & Risk....121
CHAPTER 18: Calendars & Troubleshooting....128
BONUS SECTION: First-Year Goat-Keeping Field Plan....136
CONCLUSION: Building the Operation That Fits Your Life....147
HOW TO USE THESE APPENDICES....158
APPENDIX A: Pre-Purchase Readiness Checklist....158
APPENDIX B: Feeding and Nutrition Log....160
APPENDIX C: Breeding and Kidding Log....162
APPENDIX D: Health and Treatment Log....164

SAMPLE PREVIEW

APPENDIX E: Seasonal Calendar Worksheet.....1
APPENDIX F: Budget and Cost-Tracking Worksheet.....1
APPENDIX G: Biosecurity and Quarantine Checklist.....1
APPENDIX H: Troubleshooting Quick-Reference Chart.....1
APPENDIX I: Glossary of Terms.....1
APPENDIX J: Goat Purchase Inspection Scorecard.....1
APPENDIX K: Questions to Ask a Breeder.....1
APPENDIX L: Questions to Ask a Veterinarian or Extension Agent.....1
APPENDIX M: First-Year Goat Planning Worksheet.....1
APPENDIX N: Emergency Farm Contact Sheet.....1
SOURCES AND FURTHER READING.....1

SAMPLE PREVIEW

CHAPTER 1: Introduction to Goat Farming

Somewhere on the way to buying your first goats, someone will tell you they're "basically maintenance-free." Whoever tells you that has either never owned goats or is being kind about how much they've forgotten. Goats are one of the more forgiving animals you can start with — but forgiving is not the same as easy, and the gap between those two words is where most first-time goat keepers get into trouble.

This chapter is where you decide, plainly, whether goats fit your land, your schedule, and your goals. Everything after this assumes you've made that decision with open eyes.

What a goat actually costs you, in time and money, before the first sale

Start with the number nobody puts on the seed catalog cover. A small, functional goat setup for two to four does typically runs $1,500–$2,500 in initial infrastructure if you're building fencing and shelter from scratch — less if you're converting an existing shed or barn stall, more if you're starting on bare land with no fencing at all. That figure covers basic perimeter fencing, a three-sided shelter or converted shed bay, a mineral feeder, a hay rack, and a water source. It does not cover the goats themselves, which for a healthy, registered or unregistered starter doe typically range $150–$500 depending on breed, region, and whether you're buying commercial stock or show-quality animals.

Then there's the recurring cost, which is the one that surprises people. Feed for a mature doe not in milk runs roughly $15–$35 per month depending on your hay prices and how much pasture she has access to; a lactating dairy doe on a higher-grain ration can run $40–$70 per month. Add routine veterinary costs (annual CDT vaccination, occasional deworming, hoof trimming supplies), and a realistic per-doe annual cost — not counting your own labor — lands somewhere between $250 and $600 for a low-input meat doe on good pasture, and $500–$1,000 for a dairy doe in full production. These are ranges, not guarantees; your local hay prices, climate, and veterinary costs will move these numbers up or down.

The time cost is the one people underestimate more than the money. A small herd of two to six goats takes roughly 20–40 minutes a day for feeding, water checks, and a visual health scan, once your routine is established. During kidding season, that jumps to multiple checks a day for several weeks. If you're milking, add 15–20 minutes per milking, twice a day, every single day, with no days off unless someone else covers for you. That last point trips up

SAMPLE PREVIEW

more new dairy goat owners than any disease ever will — a milking doe does not take weekends off, and neither do you.

Why goats specifically, and when they're the wrong choice

Goats earn their reputation for a few concrete reasons. They browse more than graze exclusively, meaning they'll eat brush, saplings, brambles, and weedy growth that cattle and sheep largely ignore — this makes them useful for clearing overgrown land, something you'll read more about in Chapter 16. They're smaller and easier to handle than cattle, which matters if you're working alone or have limited upper-body strength for restraining a distressed animal. They reach production age faster than cattle: a meat doeling can be bred around 7–10 months of age (at roughly 60–70% of adult body weight) and produce her first kids by 12–15 months, compared to two to three years for a beef heifer.

But goats are the wrong choice for some situations, and it helps to name them plainly. If your fencing budget is zero and you can't invest in adequate perimeter fencing, don't start with goats — they are notorious escape artists, and a goat that gets loose repeatedly will either end up in your neighbor's garden, on the road, or dead from a dog attack or vehicle strike. If you have young fruit trees, ornamental shrubs, or ornamental gardens you're not willing to lose, keep goats away from them entirely unless fencing is bulletproof; goats will strip bark and browse ornamentals given the chance, and "given the chance" includes any five minutes your fence is down. If your household cannot tolerate the noise of a doe in heat or a buck's odor during breeding season, dairy or meat does alone (without a buck on the property) are a better plan than keeping a buck at home — most small operations do better sending does out to a neighbor's buck or using AI than keeping their own, unless they're running ten or more does.

If you want livestock with minimal daily interaction — something you check on twice a week not twice a day — goats are not that animal. They need daily visual contact at minimum, and a producer who's away for a week without reliable backup coverage is taking on real risk with any livestock, goats included.

Meat, milk, land care, fiber: what you're actually signing up for

The original promise of goats — meat, milk, fiber, and land management — is real, but each of those four paths demands a different skill set and different infrastructure, and trying to do all four with the same three goats in your first year is how people burn out.

SAMPLE PREVIEW

Meat production (covered fully in Chapters 5 and 13) means raising kids to a finishing weight, usually 60–90 pounds for a young meat breed wether or doeling depending on breed and market, over four to ten months, then either processing on-farm (where legally and practically feasible) or transporting to a custom processor. It rewards efficient growth and parasite management more than anything else.

Dairy production (Chapters 6 and 14) means a doe in milk for 8–10 months of a roughly 12-month cycle, twice-daily milking, and either home dairy use or — if you intend to sell milk or milk products — navigating food-safety licensing that varies enormously by location and that you must verify with your local health authority before selling a single jar of anything. Home use for your own household is generally far less regulated than sales, but "generally" is doing real work in that sentence; check locally.

Land care — using goats to clear brush, brambles, and invasive plant growth — is the lowest-input of the four paths and the one most people underestimate as a standalone goal. A small group of goats can substantially reduce brush cover on an acre or two over a single grazing season, but they need to be contained to the target area (temporary electric netting works well here) and rotated before they strip an area bare, which can lead to soil erosion and reduced future forage if overdone.

Fiber goats — Angora (mohair) and Cashmere-type goats — are a narrow but valid niche. They require shearing or combing skills, a market for raw or processed fiber that is often more limited and more regional than meat or milk markets, and different nutritional and shelter needs (fiber goats are notably less cold-hardy when freshly shorn). If fiber interests you, treat it as a specialized fifth path not something you add casually to a meat or dairy operation; this book focuses primarily on meat and dairy goats, with fiber goats mentioned where relevant but not covered as a full production system.

SAMPLE PREVIEW

A working first-year picture

Here is what a modest, honest first year looks like for someone starting with two to four does and no prior livestock experience: month one is fencing, shelter, and sourcing animals — expect this to take longer than planned, because it always does. Months two through four are settling-in, learning your goats' individual personalities and appetites, and dealing with the first minor health scare (most commonly a bout of loose stool from a feed change, or a minor parasite load). If you bred before arrival or breed in the first season, kidding typically falls five months later, and that period is the single steepest learning curve in the entire first year. By month eight or nine, most new owners have a workable daily routine and have stopped checking the internet every time a goat coughs.

Where the original edition of this book undersold things was in pretending this curve is gentler than it is. It isn't disastrous, but it isn't gentle either. Expect at least one crisis in year one — a health scare, an escape, a fencing failure, or a birth complication — and go in planning for it rather than hoping around it.

SAMPLE PREVIEW

Newborn Kid Checklist — First 24 Hours

Task	Timing
Dry the kid, ensure warmth	Immediately after birth
First colostrum feeding	Within 1–2 hours, no later than 6 hours
Navel dipped in iodine solution	Within a few hours of birth
Confirm normal nursing and alertness	Ongoing through first day
Weigh and record birth weight	Within first 24 hours

Watch newborn kids closely over their first several days for normal nursing behavior, alertness, and a strong suckle reflex; a kid that's consistently weak, slow to rise, or reluctant to nurse warrants prompt attention and often a veterinary call, since problems in the first 48–72 hours can progress quickly in an animal with so little physiological reserve.

Common birth complications in more depth

Dystocia — difficult birth — takes several recognizable forms, and knowing the difference helps you judge whether correction is something you can attempt or whether you need help immediately. A leg-back presentation, where one or both front legs are folded back instead of extended forward, often requires gently pushing the kid slightly back into the birth canal to create room, then carefully bringing the folded leg forward before continuing delivery — a maneuver that takes a calm hand and, ideally, some prior guidance or practice instead of being attempted for the first time under pressure. A breech presentation, where the kid is positioned rear-first with no legs presenting at the vulva, is more difficult to correct and often warrants veterinary assistance unless you have real prior experience, since identifying and safely repositioning the hind legs internally is a more involved procedure than a simple leg-back correction.

A kid that's simply too large for the doe's pelvis — more common in doelings bred too young or in single, oversized kids from does carrying just one fetus with unusually generous nutrition — may require assisted traction (gentle, timed pulling coordinated with the doe's own contractions) or, in difficult cases, veterinary intervention including a cesarean section. The general guidance from earlier in this chapter holds here too: 30–60 minutes of unproductive, visible hard straining is a reasonable threshold for calling for help instead of continuing to wait, and this threshold should be shorter, not longer, if you're at all uncertain about what you're seeing.

Raising orphaned or rejected kids

Occasionally a kid is orphaned (through the doe's death) or rejected (a doe, particularly a first-time mother, sometimes fails to bond with and nurse a

SAMPLE PREVIEW

occasionally triplets or more. Higher litter sizes bring specific management considerations: a doe carrying triplets or more has proportionally less rumen capacity available per kid's worth of nutritional demand, raising her pregnancy toxemia risk further, and after birth, does with three or more kids sometimes cannot adequately nurse all of them, especially in early lactation before milk supply fully establishes.

Watching each kid in a multiple birth individually — checking that every kid, not just the most assertive ones, is getting adequate nursing time — catches a struggling kid before it falls seriously behind. Supplemental bottle-feeding for the weakest kid in a triplet or larger litter, even temporarily while the doe's supply builds, is a reasonable and common intervention instead of a sign of failure, and is far preferable to letting one kid quietly starve while its littermates thrive.

A complete kidding kit checklist

Assembling a dedicated kidding kit well before your earliest due date means you're never searching for a critical item mid-labor. A workable kit includes clean towels dedicated to kidding use, a bulb syringe for clearing a newborn's airway if needed, iodine solution (7% is commonly used) for navel dipping, a digital thermometer for both doe and kid temperature checks, obstetric lubricant and clean disposable gloves for any necessary internal examination or assistance, a flashlight or headlamp for overnight checks, scissors and unwaxed dental floss or clean string in case a cord needs to be tied off, a kid puller or snare in case of a difficult presentation (with training on its use obtained beforehand, not improvised in the moment), a heat lamp or safe warming alternative and a thermometer for the kidding area itself, colostrum replacer or a source of stored colostrum in case a doe's own supply is inadequate or delayed, and your veterinarian's contact information posted somewhere you won't have to search for it.

SAMPLE PREVIEW

Check this kit at the start of each kidding season rather than assuming last year's supplies are still complete and unexpired — iodine solution and colostrum replacer both have shelf lives worth checking, and it's far better to discover a missing or expired item during a calm pre-season check than during an actual delivery.

Debriefing after each kidding season while details are still fresh

Once kidding season winds down, take a short amount of time — even just half an hour with your kidding log in hand — to review what went well and what didn't while the details are still fresh rather than trusting memory a year later. Note which does had easy, unassisted births and which needed help,

Home Use vs. Commercial Dairy — Key Differences

Factor	Home use only	Commercial sale
Regulatory oversight	Minimal in most areas	Significant — licensing, inspection, food safety rules vary by location
Milking scale	Typically 1–4 does	Often 6+ does, may need machine milking
Cooling infrastructure	Basic refrigeration	Rapid-cooling capacity for peak volume
Record-keeping needs	Optional but useful	Often legally required (batch records, testing logs)

Building a customer base once licensed and ready

If your local rules and your own readiness align toward a commercial path, building a customer base gradually — starting with people who already know you, expanding through farmers' markets or a simple on-farm pickup system, and gathering feedback on products as you scale — tends to work better than a large marketing push before your production and quality consistency are proven. Chapter 15 covers marketing strategy for small-scale farm products in more depth, applicable to both dairy and meat enterprises.

Setting up a basic dairy processing area

If your local rules permit some form of on-farm processing or bottling, even at a small scale, the physical space matters as much as the licensing. A dedicated area — separate from general kitchen use where required, with washable, non-porous surfaces (stainless steel or food-grade plastic instead of porous wood or unsealed countertops), adequate hot water access, and a clear separation between raw milk handling and any finished product storage — reduces contamination risk and is generally what inspectors and licensing bodies are specifically evaluating during any required facility review.

Even below the threshold of formal commercial licensing, applying these same principles to your home dairy setup — dedicated equipment, proper cleaning routines between uses, and a clean, organized processing space — builds habits that make an eventual transition to licensed commercial processing considerably smoother, since you're refining a system instead of building one from scratch under time pressure once permitted to sell.

Record-keeping specific to dairy sales

Where commercial dairy sales are permitted and licensed, record-keeping requirements typically go beyond the general farm records discussed in Chapter 17. Common requirements include batch records linking specific products to specific production dates and, ideally, individual animals or milking sessions (useful both for your own quality tracking and for any required traceability in the event of a food safety concern), temperature logs

SAMPLE PREVIEW

confirming milk was cooled and stored within required ranges throughout processing, and any required regular testing (somatic cell count or bacterial count testing, for instance, in jurisdictions that require it) with results kept on file.

Building this record-keeping habit from the start of any commercial dairy activity, rather than treating it as bureaucratic overhead to minimize, protects you — both by demonstrating due diligence if a food safety question ever arises, and by giving you your own early warning system if a testing result trends in a concerning direction before it becomes a larger problem.

Common micro-dairy mistakes

A frequent mistake is investing significantly in equipment or infrastructure for commercial sale before confirming the specific local licensing pathway and its requirements, sometimes discovering the intended sales method isn't legally available in that location at all, or requires investment far beyond what was budgeted. The second is underestimating how much lactation curve variability affects a commercial commitment — promising a consistent weekly volume to a customer or retailer without accounting for the natural decline in production as does approach dry-off, or the total loss of production during the dry period itself unless multiple does are staggered in their breeding to keep some milk flowing year-round. The third is pricing based on a national or online "average" instead of genuine nearby market research, either underpricing an artisanal product or overpricing relative to what local buyers are actually willing to pay.

Staggering breeding to maintain a year-round milk supply

A single doe's lactation curve inevitably includes a dry period, but a small herd bred on a staggered schedule — some does bred earlier in the season, others later — can maintain at least some milk production across most or all of the year instead of having every doe dry off simultaneously and leaving the household or customer base with no milk for several months. Planning this staggering deliberately, instead of letting all does happen to breed at the same time simply because they were exposed to a buck together, is worth the extra breeding-management effort for any operation planning consistent dairy output, whether for home use or eventual commercial sale.

A herd of four does staggered into two breeding groups roughly four to five months apart, for instance, means that as one pair approaches dry-off, the other pair is approaching peak lactation, smoothing out what would otherwise be a single sharp annual dip in total household or commercial milk supply.

SAMPLE PREVIEW